Author index

Andreadis, A., see Wei, M.-L. (80) 207 Armstrong, D.M., see Wang, Y. (80) 123 Asanuma, M., Hayashi, T., Ordonèz, S.V.,

Ogawa, N. and Cadet, J.L. Direct interactions of methamphetamine with the nucleus (80) 237

Bandari, P., see Chaturvedi, K. (80) 166 Basheer, R., see Shiromani, P.J. (80) 75 Beauvillain, J.-C., see Bouret, S. (80) 46 Beckingham, K., see GuptaRoy, B. (80) 26 Bell, C.C., see Mackiewicz, M. (80) 252 Bouret, S., Prevot, V., Croix, D., Viltart, O.,

Stefano, G.B., Mitchell, V. and Beauvillain, J.-C.

μ Opioid receptor mRNA expression in neuronal nitric oxide synthaseimmunopositive preoptic area neurons (80) 46

Brown, E.M., see Ye, C. (80) 177

Cadet, J.L., see Asanuma, M. (80) 237
Cao, Y., see Tohyama, Y. (80) 256
Chai, Y.-G., see Lee, J.-H. (80) 88
Charness, M.E., see Shiromani, P.J. (80) 75
Chasea, T.N., see Qin, Z.-H. (80) 111
Chattopadhyay, N., see Ye, C. (80) 177
Chaturvedi, K., Jiang, X., Christoffers, K.H.,
Chinen, N. Bandari, P. Baveglia, I. F.

Chinen, N., Bandari, P., Raveglia, L.F., Ronzoni, S., Dondio, G. and Howells, R.D.

Pharmacological profiles of selective non-peptidic δ opioid receptor ligands (80) 166

Chinen, N., see Chaturvedi, K. (80) 166
Choi, E.J., Ha, C.M., Kim, M.S., Kang, J.H.,
Park, S.K., Choi, W.S., Kang, S.G. and
Lee, B.J.

Lee, B.J.

Central administration of an antisense oligodeoxynucleotide against type I pituitary adenylate cyclase-activating polypeptide receptor suppresses synthetic activities of LHRH-LH axis during the pubertal process (80) 35

Choi, W.S., see Choi, E.J. (80) 35 Christoffers, K.H., see Chaturvedi, K. (80)

Cirovic, S., see Münch, C. (80) 244 Croix, D., see Bouret, S. (80) 46

Do, L., see Tseng, K.Y. (80) 1

Dondio, G., see Chaturvedi, K. (80) 166 Duriez, P.J., see Liu, J. (80) 7

Elmhurst, J.L., Xie, Z., O'Dowd, B.F. and George, S.R.

The splice variant D3nf reduces ligand binding to the D3 dopamine receptor: evidence for heterooligomerization (80) 63 Enikolopo, G., see Nishizaki, T. (80) 53

Friedrich, M., see Halfter, H. (80) 198

Galante, R.J., see Mackiewicz, M. (80) 252 Geiger, J.D., see Mackiewicz, M. (80) 252 George, S.R., see Elmhurst, J.L. (80) 63 Gershanik, O.S., see Tseng, K.Y. (80) 1 Giros, B., see Tseng, K.Y. (80) 1 Grandy, D.K., see Tseng, K.Y. (80) 1 Grant, P., see Veeranna, K.T. (80) 109 Gray, A.T., see Kindler, C.H. (80) 99 Greco, M.A., see Shiromani, P.J. (80) 75 Griffith, L.C., see GuptaRoy, B. (80) 26 GuptaRoy, B., Marwaha, N., Pla, M., Wang,

Z., Nelson, H.B., Beckingham, K. and Griffith, L.C.

Alternative splicing of *Drosophila* calcium/calmodulin-dependent protein kinase II regulates substrate specificity and activation (80) 26

Ha, C.M., see Choi, E.J. (80) 35
Halfter, H., Postert, C., Friedrich, M.,
Ringelstein, E.B. and Stögbauer, F.
Activation of the Jak-Stat- and
MAPK-pathways by oncostatin M is
not sufficient to cause growth
inhibition of human glioma cells (80)
108

Handa, R.J., see Price Jr., R.H. (80) 260 Hasegawa, M., see Tohyama, Y. (80) 256 Hata, R., see Masumura, M. (80) 219 Hayashi, T., see Asanuma, M. (80) 237 Herman, J.P., see Paskitti, M.E. (80) 142 Hermann, C., see Münch, C. (80) 244 Hersh, L.B., see Lee, J.-H. (80) 88 Higo, A., see Katsura, M. (80) 132 Howells, R.D., see Chaturvedi, K. (80) 166

Ichimiya, T., see Tohyama, Y. (80) 256

Jiang, X., see Chaturvedi, K. (80) 166

Johnson, F., see Whitney, O. (80) 279
Jow, F. and Wang, K.-W.
Cloning and functional expression of rKCNQ2 K channel from rat brain (80) 269

Kambe, F., see Tang, Ya.-P. (80) 188 Kang, J.H., see Choi, E.J. (80) 35 Kang, S.G., see Choi, E.J. (80) 35 Kanou, Y., see Tang, Ya.-P. (80) 188 Kasama-Yoshida, H., see Tohyama, Y. (80) 256

Katsura, M., Higo, A., Tarumi, C., Tsujimura, A., Takesue, M., Mohri, Y., Shuto, K. and Ohkuma, S. Mechanism for increase in expression

Mechanism for increase in expression of cerebral diazepam binding inhibitor mRNA by nicotine: involvement of L-type voltage-dependent calcium channels (80) 132

Kelly, M.A., see Tseng, K.Y. (80) 1 Kim, M.S., see Choi, E.J. (80) 35 Kindler, C.H., Pietruck, C., Yost, C.S.,

Sampson, E.R. and Gray, A.T. Localization of the tandem pore domain K channel TASK-1 in the rat central nervous system (80) 99

Kojima, H., see Tohyama, Y. (80) 256 Kondoh, T., see Nishizaki, T. (80) 53 Kurihara, T., see Tohyama, Y. (80) 256

Lee, B.J., see Choi, E.J. (80) 35 Lee, J.-H., Shimojo, M., Chai, Y.-G. and Hersh, L.B. Studies on the interaction of REST4 with the cholinergic repressor element-1/neuron restrictive silencer element (80) 88

Liu, J., Ying, W., Massa, S., Duriez, P.J., Swanson, R.A., Poirier, G.G. and Sharp, F.R. Effects of transient global ischemia and kainate on poly(ADP-ribose) polymerase (PARP) gene expression

polymerase (PARP) gene expression and proteolytic cleavage in gerbil and rat brains (80) 7 Lorenzon, N., see Price Jr., R.H. (80) 260

Lorenzon, N., see Price Jr., R.H. (80) 260 Low, M.J., see Tseng, K.Y. (80) 1 Ludolph, A., see Münch, C. (80) 244

Mack, K.J., see Todd, P.K. (80) 17 Mackiewicz, M., Nikonova, E.V., Bell, C.C., Galante, R.J., Zhang, L., Geiger, J.D. and Pack, A.I.

Activity of adenosine deaminase in the sleep regulatory areas of the rat CNS (80) 252

Malkani, S. and Rosen, J.B. Induction of NGFI-B mRNA following contextual fear conditioning and its blockade by diazepam (80) 153

Marwaha, N., see GuptaRoy, B. (80) 26 Mash, D.C., see Wang, Y. (80) 123 Massa, S., see Liu, J. (80) 7

Masumura, M., Hata, R., Nishimura, I.,
Uetsuki, T., Sawada, T. and Yoshikawa,
K.
Caspase-3 activation and

inflammatory responses in rat hippocampus inoculated with a recombinant adenovirus expressing the Alzheimer amyloid precursor protein (80) 219

Matuoka, T., see Nishizaki, T. (80) 53
McCreary, B.J., see Paskitti, M.E. (80) 142
Memmott, J., see Wei, M.-L. (80) 207
Meyer, T., see Münch, C. (80) 244
Mitchell, V., see Bouret, S. (80) 46
Miyazaki, T., see Tang, Ya.-P. (80) 188
Mohri, Y., see Katsura, M. (80) 132
Mucignat-Caretta, C.

Aggregates of cAMP-dependent kinase RIα characterize a type of cholinergic neurons in the rat brain (80) 233

Münch, C., Schwalenstöcker, B., Hermann, C., Cirovic, S., Stamm, S., Ludolph, A. and Meyer, T. Differential RNA cleavage and polyadenylation of the glutamate transporter EAAT2 in the human brain (80) 244

Murata, Y., see Tang, Ya.-P. (80) 188 Murer, M.G., see Tseng, K.Y. (80) 1

Nabeshima, T., see Tang, Ya.-P. (80) 188 Nelson, H.B., see GuptaRoy, B. (80) 26 Nikonova, E.V., see Mackiewicz, M. (80) 252 Nishimura, I., see Masumura, M. (80) 219 Nishizaki, T., Nomura, T., Matuoka, T.,

Kondoh, T., Enikolopo, G., Sumikawa, K., Watabe, S., Shiotani, T. and Yoshii, M.

The anti-dementia drug nefiracetam facilitates hippocampal synaptic transmission by functionally targeting presynaptic nicotinic ACh receptors (80) 53

Nomura, T., see Nishizaki, T. (80) 53

O'Dowd, B.F., see Elmhurst, J.L. (80) 63 Ogawa, N., see Asanuma, M. (80) 237 Ohkuma, S., see Katsura, M. (80) 132 Oliver, K.R., see Wainwright, A. (80) 228 Ordonèz, S.V., see Asanuma, M. (80) 237

Pack, A.I., see Mackiewicz, M. (80) 252 Pant, H.C., see Veeranna, K.T. (80) 109 Park, S.K., see Choi, E.J. (80) 35 Paskitti, M.E., McCreary, B.J. and Herman,

> Stress regulation of adrenocorticosteroid receptor gene transcription and mRNA expression in rat hippocampus: time-course analysis (80) 142

Pietruck, C., see Kindler, C.H. (80) 99
Pla, M., see GuptaRoy, B. (80) 26
Poirier, G.G., see Liu, J. (80) 7
Postert, C., see Halfter, H. (80) 198
Prevot, V., see Bouret, S. (80) 46
Price Jr., R.H., Lorenzon, N. and Handa, R.J.
Differential expression of estrogen
receptor beta splice variants in rat
brain: identification and
characterization of a novel variant

Qin, Z.-H., Wang, Y. and Chasea, T.N. A caspase-3-like protease is involved in NF-κB activation induced by stimulation of N-methyl-α-aspartate receptors in rat striatum (80) 111

missing exon 4 (80) 260

Raisman-Vozari, R., see Tseng, K.Y. (80) 1 Raveglia, L.F., see Chaturvedi, K. (80) 166 Ringelstein, E.B., see Halfier, H. (80) 198 Ronzoni, S., see Chaturvedi, K. (80) 166 Rosen, J.B., see Malkani, S. (80) 153 Roubert, C., see Tseng, K.Y. (80) 1 Rubinstein, M., see Tseng, K.Y. (80) 1

Sampson, E.R., see Kindler, C.H. (80) 99
Sawada, T., see Masumura, M. (80) 219
Schwadenstöcker, B., see Münch, C. (80) 244
Screaton, G., see Wei, M.-L. (80) 207
Seo, H., see Tang, Ya.-P. (80) 188
Sharp, F.R., see Liu, J. (80) 7
Shetty, K.T., see Veeranna, K.T. (80) 109
Shimojo, M., see Lee, J.-H. (80) 88
Shiotani, T., see Nishizaki, T. (80) 53
Shiromani, P.J., Basheer, R., Thakkar, J.,
Wagner, D., Greco, M.A. and Charness, M.E.
Sleep and wakefulness in c-fos and fos B gene knockout mice (80) 75
Shuto, K., see Katsura, M. (80) 132

Shuto, K., see Katsura, M. (80) 132Sirinathsinghji, D.J.S., see Wainwright, A. (80) 228

Soderstrom, K., see Whitney, O. (80) 279 Stamm, S., see Münch, C. (80) 244 Stefano, G.B., see Bouret, S. (80) 46 Stögbauer, F., see Halfter, H. (80) 198 Sumikawa, K., see Nishizaki, T. (80) 53 Swanson, R.A., see Liu, J. (80) 7

Takahashi, M., see Veeranna, K.T. (80) 109 Takesue, M., see Katsura, M. (80) 132 Tamai, Y., see Tohyama, Y. (80) 256 Tang, Ya.-P., Yamada, K., Kanou, Y., Miyazaki, T., Xiong, X.-L., Kambe, F., Murata, Y., Seo, H. and Nabeshima, T. Spatiotemporal expression of BDNF in the hippocampus induced by the continuous intracerebroventricular infusion of β-amyloid in rats (80) 188

Tarumi, C., see Katsura, M. (80) 132 TesFaye, E., see Wang, Y. (80) 123 Thakkar, J., see Shiromani, P.J. (80) 75 Todd, P.K. and Mack, K.J.

Sensory stimulation increases cortical expression of the fragile X mental retardation protein in vivo (80) 17

Tohyama, Y., Ichimiya, T., Kasama-Yoshida, H., Cao, Y., Hasegawa, M., Kojima, H., Tamai, Y. and Kurihara, T. Phylogenetic relation of lungfish indicated by the amino acid sequence of myelin DM20 (80) 256

Tseng, K.Y., Roubert, C., Do, L., Rubinstein, M., Kelly, M.A., Grandy, D.K., Low, M.J., Gershanik, O.S., Murer, M.G., Giros, B. and Raisman-Vozari, R. Selective increase of Nurr1 mRNA expression in mesencephalic dopaminergic neurons of D2 dopamine receptor-deficient mice (80)

Tsujimura, A., see Katsura, M. (80) 132

Uetsuki, T., see Masumura, M. (80) 219

Vassilev, P.M., see Ye, C. (80) 177 Veeranna, K.T. Erratum to Cdk5 and MAPK are associated with complexes of cytoskeletal proteins in rat brain [Mol. Brain Res. 76 (2000) 229–236]

(80) 109 Viltart, O., see Bouret, S. (80) 46

Wagner, D., see Shiromani, P.J. (80) 75 Wainwright, A., Sirinathsinghji, D.J.S. and Oliver, K.R. Expression of GABA_Λ receptor α5

subunit-like immunoreactivity in human hippocampus (80) 228 Wang, K.-W., see Jow, F. (80) 269

Wang, Y., see Qin, Z.-H. (80) 111
Wang, Y., TesFaye, E., Yasuda, R.P., Mash, D.C., Armstrong, D.M. and Wolfe, B.B.
Effects of post-mortem delay on subunits of ionotropic glutamate receptors in human brain (80) 123

Wang, Z., see GuptaRoy, B. (80) 26
Watabe, S., see Nishizaki, T. (80) 53
Wei, M.-L., Memmott, J., Screaton, G. and Andreadis, A.
The obliging determinants of a

The splicing determinants of a regulated exon in the axonal MAP tau reside within the exon and in its upstream intron (80) 207

Whitney, O., Soderstrom, K. and Johnson, F. Post-transcriptional regulation of zenk expression associated with zebra finch vocal development (80) 279

Wolfe, B.B., see Wang, Y. (80) 123

Xie, Z., see Elmhurst, J.L. (80) 63

Xiong, X.-L., see Tang, Ya.-P. (80) 188

Yamada, K., see Tang, Ya.-P. (80) 188 Yasuda, R.P., see Wang, Y. (80) 123 Ye, C., Chattopadhyay, N., Brown, E.M. and Vassilev, P.M. Defective extracellular calcium (Ca,)-

sensing receptor (CaR)-mediated stimulation of a Ca2+-activated

potassium channel in glioblastoma cells transfected with a dominant negative CaR (80) 177 Ying, W., see Liu, J. (80) 7 Yoshii, M., see Nishizaki, T. (80) 53 Yoshikawa, K., see Masumura, M. (80) 219

Zhang, L., see Mackiewicz, M. (80) 252

Yost, C.S., see Kindler, C.H. (80) 99